CASIO

Congratulations upon your selection of this CASIO watch.

 Note that the product illustrations in this manual are intended for reference only, and so the actual product may appear somewhat different than depicted by an illustration

This watch does not have a city code that corresponds to the UTC offset of -3.5 hours. Because of this, the radio-controlled atomic timekeeping function will not display the correct time for Newfoundland, Canada.

Note that CASIO COMPUTER CO., LTD. assumes no responsibility for any damage or loss suffered by you or any third party arising through the use of your watch or its malfunction

About This Manual



A

Operations are performed using the watch's crown, and the two buttons indicated by the letters B and B in this manual.

Hand Functions 1 Hour Hand 2 Second Hand

3 Minute Hand 4 Day Indicator

This User's Guide uses numbers shown above to identify watch hands and indicators

Important!

 The (A) button is designed to protect against accidental pressing. Use a thin pointed object to press the depression of the button to operate it. In the illustrations in this manual, the (a) button is emphasized for ease of understanding.

Crown Operations



The crown of this watch is a screw in lock crown. Before using the crown, you must first rotate it towards you to loosen it. Important!

To maintain water resistance and avoid impact damage to the crown, be sure to screw it back in when you are not using it.
 When pulling out the crown, avoid using undue force, which creates the risk of personal injury to your fingers and fingernails, and of watch malfunction.

The illustrations below show the different crown operations



High-speed Movement

When rotating the crown to move the hands of the watch, you can use the operations described below to move the hands at high speed. There are two high-speed hand movement speeds. High-speed 2 is the fastest

E-2



With the crown pulled out, rotate it rapidly away from you three times

High-speed 2 ∎→ CCC

After starting the High-speed 1 operation, rotate the crown rapidly away from you three more times.


High-speed Cancel ∎ → 🕻

Rotate the crown towards you or press any button.

Note

- If you do not perform any operation for more than two minutes after pulling out the crown, crown operations will become disabled automatically. If this happens, push the crown back in and then pull it out again to re-enable crown operations.
- You can use high-speed hand movement when configuring time settings.
 High-speed hand movement is forward only. There is no high-speed backward hand movement

Things to check before using the watch



2. Check the Home City.

Use the procedure under "To configure Home City settings" (page E-21) to configure your Home City. Important!

Proper time calibration signal reception depends on correct Home City, time, and date settings. Make sure you configure these settings correctly.

E-3

E-4

3. Set the current time.

- To set the time using a time calibration signal See "To get ready for a receive operation" (page E-15).
- . To set the time manually
- "Configuring Current Time and Date Settings Manually" (page E-25).

The watch is now ready for use.

· For details about the watch's radio controlled timekeeping feature, see "Radio Controlled Atomic Timekeeping" (page E-13).

Contents

- E-2 About This Manual E-3 **Crown Operations**
- E-5 Things to check before using the watch
- F-9
- Charging the Watch E-12 To recover from the sleep state
- Radio Controlled Atomic Timekeeping E-13
 - To get ready for a receive operation E-15
 - E-17 To perform manual receive
 - E-18 To check the result of the latest receive operation
 - E-18 To turn auto receive on and off

F-20 Function and Button Operation Guide E-21

- **Configuring Home City Settings**
 - To configure Home City settings E-21 E-23 To switch between standard time and summer time manually
 - Configuring Current Time and Date Settings Manually
- E-25 E-25 To change the current time setting manually E-27 To change the current date setting manually
- Adjusting Home Positions E-29
 - E-30 To adjust home positions manually

CASIO

E-32 Troubleshooting

Specifications E-36

Charging the Watch

The face of the watch is a solar panel that generates power from light. The generated power charges a built-in rechargeable battery, which powers watch operations. The watch charges whenever it is exposed to light.

Charging Guide

Whenever you are not wearing the watch, be sure to leave it in a location where Best charging performance is achieved by exposing the watch to light that is as strong as

possible



When wearing the watch, makes sure that its face is not blocked X from light by the sleeve of your

 The watch may enter a sleep state (page E-12) if its face is blocked by your sleeve even only partially.

Warning!

Leaving the watch in bright light for charging can cause it to become quite hot. Take care when handling the watch to avoid burn injury. The watch can become particularly hot when exposed to the following conditions for long periods.

 On the dashboard of a car parked in direct sunlight Too close to an incandescent lamp

Under direct sunlight

E-8

Important!

. Keep the watch in an area normally exposed to bright light when storing it for long periods. This helps to ensure that power does not run down.

Storing the watch for long periods in an area where there is no light or wearing it in such a way that it is blocked from exposure to light can cause power to run down. Make sure that the watch is exposed to bright light whenever possible.

Power Levels 1

2

loves at two-second itervals.

3 W

(A)

61 B

4

You can get an idea of the watch's power level by observing the movement of the [2] Second Hand. • If the [2] Second Hand is moving normally at one-second intervals, power is

atl

If the DScond Hand is moving at two-second intervals, power is at Level 2, which is quite low. Expose the watch to light as soon as possible so it can charge (Low battery alert).

Level	Hand Movement	Function Status
1	Normal.	All functions enabled
2	 Second Hand moves at two-second intervals. Day Indicator changes to 1 (home position). 	Time calibration signal reception disabled
3	Second Hand stopped. Hour Hand and 3 Minute Hand stopped at	All functions disabled

When power drops to Level 3, all settings (including timekeeping) will be cleared. Recharging the battery will reset all settings to their initial factory defaults.

E-10

Power Saving

Power Saving enters a sleep state automatically whenever the watch is left for a certain period in an area where it is dark. The table below shows how watch functions are affected by Power Saving. There actually are two sleep state levels: "second hand sleep" and "function sleep"

Elapsed Time in Dark	Operation
60 to 70 minutes (second hand sleep)	Second Hand only stopped at 12 o'clock, all other functions enabled
	All functions, including timekeeping, disabled Internal timekeeping maintained

The watch will not enter a sleep state between 6:00 AM and 9:59 PM. If the watch is already in a sleep state when 6:00 AM arrives, however, it will remain in the sleep state. The watch will not

To recover from the sleep state

Move the watch to a well-lit area or press any button

Power Recovery Mode

The watch is designed to go into a power recovery mode that stops hand operation temporarily whenever power suddenly drops below a certain level due to continuous signal reception or other operations over a short period. Note that all operations are disabled while the watch is in the power recovery mode. The hands will move to the correct positions and the watch will resume normal operation after power recovers (in about 15 minutes). Putting the watch in a location where it is exposed to light will help power the construction of the correct positions. to recover sooner

Charging Times

			Level Change *2		
Exposure Level (Brightness)	Daily Operation *1	Level 3 Level 2		Level 1	
	Operation 1			\rightarrow	
Outdoor sunlight (50,000 lux)	8 minutes	3 hours		30 hours	
Window sunlight (10,000 lux)	30 minutes	7 1	nours	111 hours	
Window sunlight on cloudy day (5,000 lux)	48 minutes	11 hours		178 hours	
Indoor fluorescent lighting (500 lux)	8 hours	120 hours			

1 Approximate exposure each day to generate power for normal daily operation.

 2 Approximate exposure to take power up one level.
 The above times are for reference only. Actual times depend on lighting conditions For details about the operating time and daily operating conditions, see the "Power Supply" section of the Specifications (page E-36).

E-11

E-9

Radio Controlled Atomic Timekeeping

This watch receives a time calibration signal and updates its time setting accordingly. However, when using the watch outside of areas covered by time calibration signals, you will have to adjust the settings manually as required. See "Configuring Current Time and Date Settings Manually" (page E-25) for more information.

This section explains how the watch updates its time settings when the city code selected as the Home City is in Japan, North America, Europe, or China, and is one that supports time calibration signal reception

If your Home City Code setting is this:	The watch can receive the signal from the transmitter located here:	
LONDON (LON), PARIS (PAR), ATHENS (ATH)	Anthorn (England), Mainflingen (Germany)	
HONG KONG (HKG)	Shangqiu City (China)	
TOKYO (TYO)	Fukushima (Japan), Fukuoka/Saga (Japan)	
NEW YORK (NYC), CHICAGO (CHI), DENVER (DEN), LOS ANGELES (LAX), ANCHORAGE (ANC), HONOLULU (HNL)	Fort Collins, Colorado (United States)	

Important!

To get ready for a receive operation

C

r12 o'clock

or


• The areas covered by HONOLULU (HNL) and ANCHORAGE (ANC) are guite far from the calibration signal transmitters, so certain conditions may cause reception problems


Signal reception may not be possible at the distances noted below during certain times of the year or


E-12


F-14

Approximate Reception Ranges UK and German Signals











Signal reception may not be possible at the distances noted below during certain times of the year or day. Radio interference may also cause problems with reception.
Mainflingen (Germany) or Anthorn (England) transmitters: 500 kilometers (310 miles)
Fort Collins (United States) transmitter: 600 miles (1,000 kilometers)
Fukushima or Fukuoka/Saga (Japan) transmitters: 500 kilometers (310 miles)
Shangqiu (China) transmitter: 500 kilometers (310 miles)
As of June 2013, China does not use Daylight Saving Time (DST). If China does go to the Daylight Saving Time system in the future, some functions of this watch may no longer operate correctly.
Using this watch in a country covered by a time calibration signal that is different from the countries it supports may result in incorrect time indication due to local application of summer time, etc. 1. Place the watch in a location where signal reception is good. Position the watch as shown in the nearby illustration,

- with 12 o'clock pointed towards a window. Make sure there are no metal objects nearby.
- Signal receive operation takes from two to seven minutes, but in some cases it can take as long as 14 minutes. Take care that you do not perform any button operation or move the watch during this time.

CASIO



Near household Near a appliances, office equipment, or a mobile phone construction site, airport, o other sources

Among or behind tension powe

- 2. What you should do next depends on whether you are using Auto Receive or Manual Receive. . Auto Receive: Leave the watch over night in the location you selected in step 2. See "Auto Receive" for details
 - Manual Receive: Perform the operation under "To perform manual receive"

Auto Receive

- Auto necerve With Auto Receive, the watch performs the receive operation each day automatically up to six times (up to five times for the Chinese calibration signal) between the hours of midnight and 5 a.m. When any receive operation is successful, none of the other receive operations for that day are performed. When a calibration time is reached, the watch will perform the receive operation. The receive operation is not performed if a calibration time is reached while you are configuring settings.

E-16

To check the result of the latest receive operation Press



Thes (G): The (Z) Second Hand will move to YES (Y) if the latest receive operation was successful, or NO (N) if it was not. After about ten seconds, regular timekeeping will resume. You can return to regular timekeeping manually by pressing (B) while the (Z) Second Hand is pointing to YES (Y) or NO (N).

of

Note

• The 2 Second Hand will indicate NO (N) if you have adjusted the time or etting manually since the latest receive operation date

To turn auto receive on and off 1. Press (B).



E-18

2. Pull out the crown The $\fbox{2}$ Second Hand will perform one full revolution and then stop at either YES (Y) or NO (N) to indicate the current on/off setting.

- 3. Rotate the crown to move the 2 Second Hand to the setting you want. To turn on auto receive, select YES (Y)
 To turn off auto receive, select NO (N).
- 4. Push the crown back in to return to regular timekeeping

To perform manual receive

- 1. Keep (B) depressed for at least two seconds as the 2 Second Hand goes through the following sequence
- to YES (or Y for some models) or NO (N) to indicate the last signal reception result, then to Mov READY (R)

2. The 2 Second Hand indicates the operations the watch is currently performing.

w



Note

When the [2] Second Hand is pointed here:	It means this:			
READY (R)	Watch is setting up for reception.			
WORK (W)	Reception is in progress.			
YES (Y)	Reception was completed successfully.			
NO (N) Reception failed for some reason.				
• If signal reception is unstable, the 2 Second Hand may move between				

WORK (W) and READY (R). . When the receive operation is successful, the watch adjusts the time

setting accordingly, and then resumes regular timekeeping. It does not adjust the setting if the operation failed.

. To interrupt a receive operation and return to regular timekeeping, press any button

E-17

Radio-controlled Atomic Timekeeping Precautions

- Strong electrostatic charge can result in the wrong time setting.
- . Even if a receive operation is successful, certain conditions can cause the time setting to be off by up to one second
- The watch is designed to update the date automatically for the period from January 1, 2000 to December 31, 2099. Updating of the date by signal reception will no longer be performed starting from January 1, 2100.
- January 1, 2100.
 If you are in an area where signal reception is not possible, the watch keeps time with the precision noted in "Specifications" (page E-36).
 The receive operation is disabled under any of the following conditions.
 While power is at Level 2 or lower (page E-10)
 While the watch is in the power recovery mode (page E-11)
 While the watch is in the function sleep state (power saving, page E-12)

Function and Button Operation Guide

Functions:	See:
• View the current time in your Home City and in one of 29 other cities around the globe • View the current date in the Home City • Configure Home City and daylight saving time (DST) settings • Perform a time calibration signal receive operation • Configure time and date settings manually	E-21

To check the last receive result, press (B) once (page E-18).

- To perform manual receive, hold down (B) for at least two seconds (page E-17).
- To toggle between standard time and summer time, press (A) (page E-23).

Configuring Home City Settings

30

TOKYO (TYO)

3

Ż

n

T

2 4 B

A

B

-30

The Home City is location where you will normally use the watch. You can choose from a selection of city codes that represent 29 cities around the globe

To configure Home City settings A Note

- This watch does not have a city code that corresponds to Newfoundland. 1. Pull out the crown.
- Pull out the crown. This will cause the [2] Second Hand to move to the city code of the currently selected Home City. This indicates the city code setting mode. If you do not perform any operation with the crown for about two minutes after pulling it out, crown operations will become disabled and the hand will not move if you rotate the crown. If this happens, push the crown back in and then pull it out again. For definite hord, any coden area the "City Code Table" at the back of
- . For details about city codes, see the "City Code Table" at the back of this manual
- 2. Rotate the crown to move the 2 Second Hand to the city code you want to
- Each time your Home City.
 Each time you select a city code, the 1 Hour Hand, 3 Minute Hand and Day Indicator move to the current time and date for that city code.
- 3. Push the crown back in to return to regular timekeeping.

STD/DST Switching

E-20

You can select summer time or standard time independently for each city. The initial default setting for all cities is **AUTO**. Normally you should use the **AUTO** setting because it automatically switches between summer time and standard time. You should change the setting to **STD** (standard time) or **DST** (summer time) in the

following cases


- When using the watch in a city not included in the City Code Table - When the switching dates in your location are different from those shown in the City Code Table

Daylight Saving Time (DST)

- Daylight Saving Time (CoT)
 Daylight Saving Time (CoT)
 Daylight Saving Time (cotT)
 Remember that not all countries or even local areas use Daylight Saving Time.
 Note that the [2] Second Hand always points to AUTO while UTC^{*} is selected as your Home City.
 Coordinated Universal Time, the world-wide scientific standard of timekeeping. The reference point for UTC is Greenwich, England.







- Perform steps 1 and 2 under "To configure Home City settings" (page E-21).
 Selecting a city code will cause the D Hour Hand, D Minute Hand and D Day Indicator to move automatically to the current time for the selected city code.
 If you will use the watch in a city that is not included in the city code list, select a city code that is in the same time zone as your city.
- 2. Press (A)
 - Instantion of the second second

calibration signa

(Ż)

п 2 3

1

A

B

A

B

To change the current date setting manually

below


30

TOKYO (TYO)

CASIO

E-25

E-27




- 3. Hold down (a) for about one second until the [2] Second Hand moves to MNL (manual), and then moves to STD or DST. If STD is indicated, the watch will always show standard time. If DST is indicated, the watch will always show summer time.

 - If you do not perform any operation for about two more seconds, the [2] Second Hand will return to the Home City code. Perform step 4 below while the [2] Second Hand is indicating STD or DST.
- 4. Press (A) to move the [2] Second Hand between STD and DST.
 To switch from STD or DST to AUTO, hold down (A) for about one second.
- 5. After the setting is way you want, push the crown back in.

E-24



- 4. Rotate the crown to adjust the time (hour and minute) setting.
 Rotating the crown three full consecutive turns clockwise will cause the **③** *Minute Hand* to start moving clockwise. Rotating the crown another three full consecutive turns clockwise will cause the **③** *Minute Hand* to start moving at high speed. To stop hand movement, press any button or rotate the crown one full turn counterclockwise.
 - When adjusting the setting, check to make sure that the 2 Second Hand correctly indicates an a.m. time or p.m. time.
 - If you want to change the date setting at this time, press (and perform the procedure starting from step 3 under "To change the current date setting manually" (page E-27).
- 5. After the settings are the way you want, push the crown back in to return to regular timekeeping. This causes timekeeping to resume with the 2 Second Hand starting from 12 o'clock



1. Pull out the crown This will cause the **2** Second Hand to move to the city code of the currently selected Home City.

2. Hold down (B) for about two seconds.

Configuring Current Time and Date Settings Manually

You can configure current time and date settings manually when the watch is unable to receive a time

To change the current time setting manually

2. Change the Home City setting, if you want.

Pull out the crown.
 This will cause the [2] Second Hand to move to the city code of the currently selected Home City.

If you do not perform any operation with the crown for about two minutes after pulling it out, crown operations will become disabled and the hand will not move if you rotate the crown. If this happens, push the crown back in and then pull it out again.

To change the Home City setting, perform step 2 under "To configure Home City Settings" (page E-21).

3. Hold down (B) for about two seconds. This will enter the time setting mode.

The [2] Second Hand will indicate whether the current time is a.m. (by moving to second 57) or p.m. (by moving to second 03).
 In the following steps, each press of (a) cycles between settings as shown between settings as shown

- The 2 Second Hand will indicate whether the current time is a.m. (by moving to second 57) or p.m. (by moving to second a.m. 03).
- Press (B) twice. This will enter the date setting mode. The [4] Day Indicator will move slightly to indicate the setting 3. Press mode
- 4. Rotate the crown to adjust the date setting.
- After the **(1)** Day Indicator stops moving, press (B). This will enter the month setting mode. • The 2 Second Hand will move to the currently selected month.
- 6. Rotate the crown to adjust the month setting.



Setting the year (ones digit)



Setting the year (tens digit)

E-28

To adjust home p ositions manually

1. Pull out the crown 2. Hold down (B) until the 2 Second Hand completes the two-part mover

seven seconds.

-30 B

- Press (B). This will enter the year setting mode.
 The [] Hour Hand will move to the number that represents the tens digit of the year and the [] Minute Hand will move to the number that represents the ones digit. The [] Second Hand will move to 12 o'clock and stop there.
- Rotate the crown to adjust the year setting.
 If you want to change the time setting at this time, press (and then perform the procedure starting from step 4 under "To change" the current time setting manually" (page E-25).
- 9. After the settings are the way you want, push the crown back in to return to regular timekeeping.
 This causes timekeeping to resume with the 2 Second Hand starting from 12 o'clock.

Note

The watch's built-in full automatic calendar makes allowances for different month lengths and leap years. Once you set the date, there should be no reason to change it except after you have the watch's rechargeable battery replaced or after power drops to Level 3.

described below. Note that you will need to keep (B) depressed for at least

seven seconds.
 Part 1: About two seconds after you first hold down (B), the [2] Second Hand should move to 57-second or 3-second position, if the [2] Second Hand is adjusted correctly.
 If the [2] Second Hand does not move to 57-second or 3-second position, it means that its home position is off and needs adjustment.

 Part 2: Next, the [2] Second Hand will move to 12 o'clock.
 After the [2] Second Hand moves to 12 o'clock, release (a). When you do, home position adjustment of all of the hands (but not the [3] Day Indicator) will start automatically.
 Home position adjustment is complete when all hands are at 12 o'clock. To with the bores pecificing adjustment are proper and the provider of the pecification. To exit the home position adjustment operation and return to regular

timekeeping, push the crown back in

Adjusting Home Positions

Strong magnetism or impact can cause the hands and/or day setting to be off, even if the watch is able to perform the signal receive operation

Auto Home Position Adjustment

Auto correction of hand home positions corrects the hand position automatically. Auto correction corrects the positions of all hands. For the [] Day Indicator, you must perform the manual adjustment procedure under "To adjust home positions manually" (page E-30).

Manual Home Position Adjustment

Perform the procedure in this section if auto home position adjustment is not possible for some reason. Hand home position adjustment is not required if the time and day settings are correct.

Note

- Any time after you enter the home position adjustment mode in step 1 of the following procedure, you
- Any time after you enter the former possibility adjustment model in sign of the following procedure, you can return to regular timekeeping by pushing the crown back in. In this case, any adjustments you made before the watch returned to regular timekeeping will be applied.
 If you do not perform any operation with the crown for about two minutes after pulling it out, crown operations will become disabled and hands will not move if you rotate the crown. If this happens, push the crown back in and then pull it out again.

E-29



- 3. Press (B)
- This enters the A Day Indicator home position adjustment mode Check the [4] Day Indicator to confirm that it is 1, which is its home position.
- If the 1 is not in the center of the A Day Indicator, rotate the crown to center it
 - A Rotating the crown three full consecutive turns clockwise will cause the
 A Day Indicator to start changing in a forward direction (increment).
 To stop A Day Indicator movement, press any button.
- Push the crown back in to return to regular timekeeping.
 This will cause the hands to return to their normal positions and resume regular timekeeping. Wait until everything stops moving before performing any other operation.

E-30

CASIO

Troubleshooting

Hand Movement and Position

■ The 2 Second Hand is moving at two-second intervals. ■ All the watch's hands are stopped at 12 o'clock and none of the buttons work.

Power may be low. Expose the watch to light until the Second Hand starts moving normally, at one-second intervals (page E-10).

The hands of the watch suddenly start moving at high speed, even when I do not perform any

operation. This could be due to any one of the following causes. In all cases, the hand movement does not indicate malfunction, and should stop shortly. • The watch is recovering from a sleep state (page E-12).

• The time setting is being adjusted following a successful auto time calibration signal receive operation (page E-13).

Hands suddenly stop moving. Button operation also is disabled.

The watch may be in the power recovery mode (page E-11). Do not perform any operation until the hands return to their normal positions (in about 15 minutes). The hands should return to their correct positions when normal operation returns. To help power recover, leave the watch in a location where it is exposed to light. to light.

The current time setting is off by hours.

Your Home City setting may be wrong. Check your Home City setting and correct it, if necessary (page E-21).

E-32

Time Calibration Signal

The information in this section applies only when LONDON (LON), PARIS (PAR), ATHENS (ATH), HONDLULU (HNL), ANCHORAGE (ANC), LOS ANGELES (LAX), DENVER (DEN), CHICAGO (CHI), NEW YORK (NYC), HONG KONG (HKG), or TOKYO (TYO) is selected as the Home City. You need to adjust the current time manually when any other city is selected as the Home City.

■ The 2 Second Hand indicates NO (N) when I check the result of the latest receive operation

Possible Cause	Remedy		
 You are wearing or moving the watch, or performing a button operation during the signal receive operation. The watch is in an area with poor reception conditions. 	Keep the watch in an area where reception conditions are good while the signal receive operation is being performed.	E-15	
You are in an area where signal reception is not possible for some reason.	See "Approximate Reception Ranges".	E-14	
The calibration signal is not being transmitted for some reason.	Check the website of the organization that maintains the time calibration signal in your area for information about its down times. Try again later.	_	

The current time setting changes after I set it manually.

You may have the watch configured for Auto Receive of the time calibration signal (page E-16), which will cause the time to be adjusted automatically according to your currently selected Home City. If this results in the wrong time setting, check your Home City setting and correct it, if necessary (page E-21).

E-34

Specifications

- Accuracy at normal temperature: ±15 seconds a month (with no signal calibration)
- Timekeeping (World time): Hour should be a book a monit (with the signal calubout) and the second be added by a signal calubout of the second be added by a signal calubout of the second be added by a signal calubout of the second be added by a signal calubout of the second by a sis a signal calubout of the second by a signal calu
- calibration signal; Remaining auto receives cancelled as soon as one is successful); Manual receive
- Manual receive Receivable Time Calibration Signals: Mainflingen, Germany (Call Sign: DCF77, Frequency: 77.5 kHz); Anthorn, England (Call Sign: MSF, Frequency: 60.0 kHz); Fukushima, Japan (Call Sign: JJY, Frequency: 60.0 kHz); Fort Collins, Colorado, the United States (Call Sign: WWVB, Frequency: 60.0 kHz); Shangqiu City, Henan Province, China (Call Sign: BPC, Frequency: 68.5 kHz)
- Other: Power Saving; Low battery alert; Auto Correction of Hand Home Positions
- Power Supply: Solar panel and one rechargeable battery Approximate battery operating time: 7 months (from full charge to Level 3) under the following conditions: + Hands operational 18 hours per day, sleep state 6 hours per day 4 minutes of signal reception per day

E-36

City Code Table

City Code		City	UTC Offset/ GMT Differential	Summer Time Period		
		City		Summer Time Start	Summer Time End	
PAGO PAGO	(PPG)	Pago Pago	-11	None	None	
HONOLULU	(HNL)	Honolulu	-10	NOTE	INOTIE	
ANCHORAGE	(ANC)	Anchorage	-9			
LOS ANGELES	(LAX)	Los Angeles	-8			
DENVER	(DEN)	Denver	-7	02:00, second Sunday in March	02:00, first Sunday in November	
CHICAGO	(CHI)	Chicago	-6		November	
NEW YORK	(NYC)	New York	-5			
SANTIAGO	(SCL)	Santiago	-4	24:00, second Saturday in October	24:00, second Saturday in March	
RIO		Rio De Janeiro	-3	0:00, third Sunday in October	0:00, third Sunday in February or 0:00, fourth Sunday in February	
	(FEN)	Fernando de Noronha	-2			
PRAIA	(RAI)	Praia	-1	None	None	
UTC						
LONDON	(LON)	London	0	01:00, last Sunday in March	02:00, last Sunday in October	
PARIS	(PAR)	Paris	+1	02:00, last Sunday in March	03:00, last Sunday in October	
ATHENS	(ATH)	Athens	+2	03:00, last Sunday in March	04:00, last Sunday in October	
JEDDAH	(JED)	Jeddah	+3	None	None	
TEHRAN	(THR)	Tehran	+3.5	0:00, March 22 or 0:00, March 21	0:00, September 22 or 0:00 September 21	

The current time setting is off by one hour.

- In control time setting is on by one hour.
 If you are using the watch in an area where time calibration signal reception is possible, see "To configure Home City settings" (page E-21).
 The period when summer time is applied in the location where you are using the watch may be different from the period set for your currently selected Home City. Use the procedure under "To switch between standard time and summer time manually" (page E-23) to switch from AUTO to STD (for standard time).

The hands and/or day indicator is off.

This could indicate that the watch has been exposed to magnetism or strong impact, which has caused problems with proper hand and day indicator alignment. Adjust the watch's hand and day indicator home position alignment (page E-29).

Charging

The watch does not resume operation after I expose it to light. This can happen after the power level drops to Level 3 (page E-10). Continue exposing the watch to light until the 2 Second Hand starts moving normally (at one-second intervals).

■ The 2 Second Hand starts to move at one-second intervals, but then suddenly returns to moving

at two-second intervals.

The watch probably is not sufficiently charged yet. Continue keeping it exposed to light.

E-33

E-35

The current time setting is off by one hour.


Possible Cause	Remedy	Page
The period when summer time is applied in the location where you are using the watch may be different from the period set for your currently selected Home City.	Use the procedure under "To switch between standard time and summer time manually" to switch from AUTO to STD (for standard time) or DST (for summer time).	E-23

Auto Receive is not performed or I cannot perform Manual Receive.

Possible Cause	Remedy	Page
Your Home City setting is wrong.	Check your Home City setting and correct it, if necessary.	E-13 E-21
There is not enough power for signal reception.	Expose the watch to light to charge it.	E-9

■ Signal reception is being performed successfully, but the time and/or day is wrong.

Possible Cause	Remedy	
Your Home City setting is wrong.	Check your Home City setting and correct it, if necessary.	E-13 E-21
The watch may have been exposed to magnetism or strong impact, which has caused problems with proper hand and day indicator alignment.	Adjust the watch's hand and day indicator home positions.	E-29



City Code		City	UTC Offset/	Summer Time Period		
		City	GMT Differential	Summer Time Start	Summer Time End	
DUBAI	(DXB)	Dubai	+4			
KABUL	(KBL)	Kabul	+4.5			
KARACHI	(KHI)	Karachi	+5			
DELHI	(DEL)	Delhi	+5.5		None	
DHAKA	(DAC)	Dhaka	+6	None		
YANGON	(RGN)	Yangon	+6.5			
BANGKOK	(BKK)	Bangkok	+7			
HONG KONG	(HKG)	Hong Kong	+8			
TOKYO	(TYO)	Tokyo	+9			
ADELAIDE	(ADL)	Adelaide	+9.5	02:00, first Sunday in	00.00 first Current in Area	
SYDNEY	(SYD)	Sydney	+10	October	03:00, first Sunday in Apri	
NOUMEA	(NOU)	Noumea	+11	None	None	
WELLINGTON	(WLG)	Wellington	+12	02:00, last Sunday in September	03:00, first Sunday in Apr	

Based on data as of June 2013.

 Deserved on Data so for une 2015.
 The rules governing global times (UTC offset and GMT differential) and summer time are determined by each individual country.
 The summer time periods in this table are applicable to specific cities. For cities not included in the list, select the list city that is in the same time zone as the desired city and perform STD/DST settings manually

L-3